



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

AUG 17 1999

Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

Ms. Belle L. Chou  
General Manager  
Shen Wei (USA) Incorporated  
2845 Whipple Road  
Union City, California 94587

RE: K992200  
Trade Name: Textured Powder-Free Latex Examination Gloves With  
Aloe Vera Green, contains 50 mcgm or less of total water  
extractable protein per gram  
Class: I  
Product Code: LYY  
Dated: June 29, 1999  
Received: June 30, 1999

Dear Ms. Chou:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Good Manufacturing Practice for Medical Devices: General (GMP) regulation (21 CFR Part 820) and that, through periodic GMP inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

Page 2 - Ms. Chou

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4692. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address "<http://www.fda.gov/cdrh/dsmamain.html>".

Sincerely yours,

A handwritten signature in black ink, appearing to read "Timothy A. Ulatowski".

Timothy A. Ulatowski  
Director  
Division of Dental, Infection Control,  
and General Hospital Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosure

SHEN  
WEI  
INC.

K992200

**Attachment Two**

**INDICATION FOR USE**

**Applicant:** Shen Wei (USA) Inc.

**Device Name:** Textured Powder-Free Latex Exam Gloves with Aloe Vera and Protein Content Labeling Claim, Green Contains 50 microm or less of Total water extractable protein per gram


**Indication For Use:**

Textured Powder-Free Latex Exam Glove with Aloe Vera and Protein Content Labeling Claim, Green is a disposable device intended for medical purpose that is worn on the examiner's hand to prevent contamination between patient and examiner.

This device is not intended to be used as a chemical barrier.

(PLEASE DO NOT WRITE BELOW THIS LINE – CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH Office of Device Evaluation (ODE)

  
(Division Sign-Off)  
Division of Dental, Infection Control,  
and General Hospital Devices  
510(k) Number K992200

Prescription Use \_\_\_\_\_  
Per 21CFR 801.109

OR

Over-The Counter X  
(Optional Format 1-2-96)